

Foreword

Thanks for choosing GAC Motor!

We are sure that GAC Motor will bring you greater driving pleasure. In order to keep your vehicle in good condition for a long time, please be sure to go to the GAC Motor authorized shop for regular vehicle maintenance in accordance with "Regular Maintenance Schedule" in this manual, where quality service will be provided for you at a reasonable price, and the technical personnel who have received professional training from GAC Motor Co., Ltd. (hereinafter referred to as "GAC Motor") will perform the maintenance according to the specific operation specification.

This manual is used as the voucher of vehicle warranty and maintenance. Please enter the user profile carefully in this manual and keep the manual properly. You are requested to present this manual when you accept the vehicle maintenance or apply for the vehicle warranty in the GAC Motor authorized shop.


Best wishes for you: hope GAC Motor can bring you pleasant driving experience!

GAC Motor Co., Ltd.

entry of the information in GAC Trumpchi management system.



To ensure that you are entitled to the warranty and maintenance service provided by GAC Motor, please assist the staff of the authorized shop to fill in the user profile columns of the "Warranty Registration Form" in this manual when picking up the vehicle. You will lose the vehicle warranty rights if you do not fill in the warranty registration form and make the warranty registration.



The copyright of this manual is reserved by GAC Motor Co., Ltd. The Company is responsible for the revision, interpretation and explanation of this manual. The content and technical data in this manual are valid upon approved printing. GAC Motor Co., Ltd. reserves the right to suspend the use of certain content or technologies or change certain content or technical data without prior notice and does not assume any obligation caused.



1. Warranty Certificate 9 5. 2. Vehicle Handover 9 6. 2.1 PDI 9 2.2 Vehicle handover 9 3. Warranty Instructions 10 3.1 Warranty instructions 10 3.2 Responsibilities of vehicle owner 12 3.3 Obligations of GAC Motor authorized shop 12 4. Maintenance Instructions 13 4.1 First maintenance agreement 13 4.2 Regular maintenance schedule 14 4.3 Supplementary maintenance under harsh driving conditions 17 4.4 Regular maintenance record 19

5.	Defect Report	24
6.	Ownership Change	29



Warranty Registration Form

User Profile	Vehicle Information	
Owner name:	Vehicle model:	
Owner's gender: Profession:	Frame number:	
Telephone number:	Engine number:	
Address:	Transmission number:	
	Body color:	
Postcode:	Interior trim color:	
Contact person:	Key number:	
Contact number:	License number:	
Address:	License issuance date:	DD/MM/YYYY
Postcode:		
Purchase date: DD/MM/YYYY		
	Name of authorized shop:	
Signature of vehicle owner:	(Stamp)	
DD/MM/YYYY		DD/MM/YYYY

Registration copy: the authorized shop will keep on file the completed copy and enter the information in GAC Motor management system.



First Maintenance Voucher

User Profile	Vehicle Information				
Owner name:	Vehicle model:				
Owner's gender: Profession:	Frame number:				
Telephone number:	Engine number:				
Address:	Transmission number:				
	Body color:				
Postcode:	Interior trim color:				
Contact person:	Key number:				
Contact number:	License number:				
Address:	License issuance date:	DD/MM/YYYY			
	First maintenance date:	DD/MM/YYYY			
Postcode:	First maintenance mileage:	km			
Purchase date: DD/MM/YYYY	_				
Signature of vehicle owner:	Name of authorized shop conducting first maintenance: (Stamp)	Name of authorized shop: (Stamp)			
DD/MM/YYYY	DD/MM/YYYY	DD/MM/YYYY			

First maintenance copy: the authorized shop will send the completed copy back to GAC Motor after conducting the first maintenance.



Warranty Certificate

User Profile	Vehicle Ir	Vehicle Information						
Owner name:	Vehicle model:	Vehicle model:						
Owner's gender: Profession:	Frame number:	Frame number:						
Telephone number:	Engine number:							
Address:	Transmission number:							
Body color:								
Postcode:	Interior trim color:							
Contact person:	Key number:							
Contact number:	License number:							
Address:	License issuance date:	DD/MM/YYYY						
	First maintenance date:	DD/MM/YYYY						
Postcode:	First maintenance mileage:	km						
Purchase date: DD/MM/YYYY								
Signature of vehicle owner:	Name of authorized shop conducting first maintenance:	Name of authorized shop: (Stamp)						
DD/MM/YYYY	(Stamp) DD/MM/YYYY	DD/MM/YYYY						



2. Vehicle Handover

2.1 PDI

The vehicle described in the warranty certificate attached in this manual has been subjected to PDI in accordance with the provisions specified by GAC Motor Co., Ltd. Please ask for the PDI checklist from the authorized shop for specific inspection items.

Inspection date:	Stamp of authorized shop:
Inspector:	

2.2 Vehicle handover

Before delivery, the GAC Motor authorized shop will inspect and clean the vehicle completely and submit the PDI checklist to you for your confirmation and signature.

If you are unsatisfied with the condition of the delivered vehicle, please inform the GAC Motor authorized shop and ask for readjustment.

Please be sure to check whether the first maintenance voucher and warranty certificate are provided when you accept the vehicle; if not, the vehicle will lose free first maintenance service and warranty right.

Following items handed over with vehicle (e.g.: ☑Yes ⊠No)					
	□First key				
□Owner's Manual	□Second key				
□Warranty Manual	☐Spare tire				
□ Quick Start Guide	☐Warning triangle				
□ Driving Guide	□Reflective vest				
	□Driver's tools (refer to the Owner's Manual)				
	□First Maintenance Voucher				
	□Completed PDI checklist				
I have validated the items above and	picked up the purchased vehicle.				
Signature of vehicle owner/ authorized person:					
* Please pay attention to checking, i to your vehicle.	f any, the instruction manual attached				



3. Warranty Instructions

3.1 Warranty instructions

Warranty object

Vehicles manufactured by GAC Motor Co., Ltd., sold and serviced by the authorized shop of the Company.

CAUTION

You will lose the vehicle warranty rights if you do not fill in the warranty copy and make the warranty registration.

The warranty service is provided to the new vehicle owner (if the vehicle owner changes within the warranty period, the warranty is still valid).

Warranty period

The warranty period refers to the period or mileage calculated from the date the seller issues the purchase invoice.

Basic warranty period of GS4: 60 months or 150,000 km (whichever comes first).

Warranty period of vulnerable and consumable parts:

Quality warranty period (whichever is earlier)	Quick-wear and Consumable Parts and Component
6 months / 10,000 km	Vehicle Battery, Remote Control Battery
3 months / 5,000 km	Air Filter, Oil Filter, Fuel Filter, A/C Filter, Bulb, Spark Plug, Fuse, and Tire
6 months / 5,000 km	Driving Belt, Friction Plate, Clutch Disc, Windshield Wiper, Brake Disc

Warranty coverage

The warranty liability of GAC Motor is to repair products and the warranty coverage includes:

- Repair or replacement of parts being considered defective by GAC Motor.
- Repair of paint on vehicle body being considered defective by GAC Motor.
- 3. Man-hour cost for the above repair

Warranty terms

- When verifying the warranty items, the GAC Motor authorized shop will consider the following conditions that are outside the warranty coverage of the GAC Motor:
- a) The vehicle is used in a country or region other than that where the vehicle is sold.
- b) Any vehicle that is used as a taxi.
- c) Vehicle damage caused by the maintenance, repair and adjustment performed in places other than the GAC Motor authorized shop.
- d) Vehicle defects caused by use of parts, lubricating grease and liquids other than genuine ones provided by GAC Motor.
- e) Vehicle damage caused by negligence, improper handling and the driving methods other than those specified in the *Owner's Manual* or the operation outside the vehicle limit range (such as maximum load and seating capacity).
- f) Vehicle damage caused by application of corrosive or low-quality cleaning agent.



- g) Modification, addition, adjustment and removal of the vehicle prohibited in the *Owner's Manual* without the approval of GAC Motor.
- h) Vehicle damage caused by abnormal use, improper handling, negligence or the operation performed by the unqualified or unskilled driver and the application for races (such as car race or motor rally).
- i) Sensation problems that do not affect the vehicle performance.
 - The warranty of GAC Motor does not cover the defective sensation problems that do not affect the quality, function or performance of products.
- j) Any damage caused by inappropriate storage or transportation.
- k) Vehicle defects caused by the natural disaster, fire, traffic accident, theft and the secondary damage incurred.
- Vehicle damage caused by the environmental conditions other than the normal operation conditions of household automobiles (such as air pollution, chemical compound, guano, sea salt or other corrosive substances).
- m) Vehicle corrosion or fault caused by the water immersion.
- n) Vehicle surface corrosion caused by the flying stone or external scratch.
- 2. The warranty does not cover the maintenance items, fluids and auxiliary materials that are not necessary for the warranty and maintenance.

The warranty does not cover the following incidental charges.

For example:

- Expenses for communication, mediation, meal and accommodation because of fault.
- Any relevant personal injury or property damage.
- 4. The GAC Motor reserves the right to determine the repair methods and warranty coverage.
- 5. All parts under the warranty coverage are the property of GAC Motor.
- The fuel, lubricating grease and fluids specified by GAC Motor shall be used.

CAUTION

To avoid the dispute over the 3-R's warranty liability, please note that:

- The dispute over the 3-R's warranty liability may arise if the vehicle is not sent to the GAC Motor authorized shop for regular maintenance and inspection according to the Owner's Manual and the Warranty Manual.
- The dispute over the 3-R's warranty liability may arise if the user changes the original state of fault deliberately after the fault occurs so that the fault cannot be identified or the user has fraudulent behavior.



3.2 Responsibilities of vehicle owner

- 1. Bring your vehicle to the GAC Motor authorized shop for first maintenance within 5,000 kilometers or 3 months (whichever comes first).
- Make sure that your vehicle is maintained and inspected at the GAC Motor authorized shop according to the regular maintenance schedule in this manual.
- Inspect and repair any fault of your vehicle at the GAC Motor authorized shop in time, which may be covered under the warranty.

CAUTION

- The dispute over the 3-R's warranty liability may arise if the vehicle is sent to any places other than the GAC Motor authorized shop for maintenance and repair.
- The vehicle that has not received first maintenance (within 5,000 km or 3 months (whichever comes first)) may lose the right of free first maintenance.

Please bring this manual with you when you go to the GAC Motor authorized shop.

3.3 Obligations of GAC Motor authorized shop

Complete the items in the warranty certificate of this manual and explain the warranty procedures of GAC Motor when delivering a new vehicle to the user.

Explain the importance of regular maintenance for the vehicle fully to the user.

Ensure that any maintenance and repair can be completed according to the standard specified by GAC Motor, whether they are covered under the warranty or not.

For the damage or defects under the warranty coverage, the authorized shop should provide necessary vehicle repair or treatment to the user.



4. Maintenance Instructions

4.1 First maintenance agreement

The first maintenance must be completed within 5,000 kilometers or 3 months (whichever comes first).

The first maintenance is provided by GAC Motor free of charge. Please bring this manual to the GAC Motor authorized shop for first maintenance. The first maintenance includes:

- 1. Replacing the engine oil, the drain bolt washer and the oil filter.
- 2. Adding the cleaning agent of fuel system (for vehicle models with in-cylinder DFI)
- 3. Inspecting and adding:
 - a. transmission fluid
 - b. coolant
 - c. brake fluid
 - d. windshield washer fluid
- 4. Inspecting:
 - a. battery charging condition
 - b. operation of parking brake and brake pedal

- c. the dust cover of transmission drive shaft for leakage or damage
- d. tightening condition of wheel fixing bolt
- e. wear pattern and pressure of the tire/ hub (including the spare tire) (replace it when necessary)
- f. whether the connection of steering tie rod is firm
- g. condition of the underbody
- h. condition of suspension ball joint and dust cover
- i. condition of suspension assembly
- j. operation of wiper/washer (adjust the nozzle when necessary)
- k. operation of door check, dowel pin, door lock, engine hood/ liftgate hinge and latch
- operation of interior and exterior lights and electrical consumers of vehicle body
- m. thickness and wear pattern of the brake disc and brake lining
- n. operation of headlamp
- 5 Cleaning:
 - a. A/C filter element
 - b. air filter element
 - c. drain hole of the front windshield drip channel
- 6. Self-diagnosis (check the fault message with the professional diagnostic equipment)




4.2 Regular maintenance schedule

If necessary, after inspection, perform the maintenance according to the procedures of addition, cleaning, adjustment, lubrication, repair or replacement.

Perform the maintenance according to the	specified	Kilometer x 1000	20	40	60	80	100	120	140	160	180	200
mileage or time interval (whichever com		Months	12	24	36	48	60	72	84	96	108	120
★ Change the engine oil			First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months									
Replace the engine oil filter			First at	First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months								
Inspect the spark plug			Every 2	0,000 kilor	meters							
Replace the spark plug ^{*1}			Once ev	ery 60,00	0 kilomete	rs						
Inspect the V-ribbed belt			Every 2	0,000 km	or 12 mon	ths						
Replace the V-ribbed belt			Once ev	ery 60,00	0 kilomete	rs or 36 m	nonths					
Replace the fuel filter*2			Every 40,000 kilometers									
Replace the fuel pipeline			Once every 96 months (replace it in advance if any crack is found)									
Replace the canister filter			Every 60,000 kilometers or 36 months									
Add the fuel system cleaning agent			First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months (for vehicle models with in-cylinder DFI)									
Inspect and clean the air filter			First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months									
Clean the cover of air filter and replace the	air filter eleme	ent	Once every 10,000 kilometers or 6 months									
Inspect the cooling system for leakage and	add the coola	ant when necessary	First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months									
★ Change the engine coolant			Once every 40,000 kilometers or 24 months									
	OCT		Inspect	it every 60	,000 kilon	neters, an	d replace	or add it if	necessar	у		
Inspect the transmission fluid AT			First at	5,000 kilor	meters or 3	3 months,	and later	every 5,00	00 kilomet	ers or 6 m	onths	
Change the transmission fluid			Once ev	ery 50,00	0 kilomete	rs						
Change the transmission fluid AT			First at 60,000 kilometers, and later every 40,000 kilometers									



Perform the maintenance according to the specified	Kilometer x 1000	20	40	60	80	100	120	140	160	180	200
mileage or time interval (whichever comes first)	Months	12	24	36	48	60	72	84	96	108	120
Change the PTO oil (for 4WD models)	Change the PTO oil (for 4WD models)		Maintenance free								
Change the rear differential reducer oil (for 4WD models)	Every 50	0,000 kilor	neters							
Inspect the propeller shaft connecting bolt and intermedi models)	ate bearing bracket (for 4WD	First at 5	5,000 kilor	meters or	3 months,	and later	every 5,00	00 kilomet	ers or 6 m	onths	
Inspect the exhaust emission (inspect the leakage on during the vehicle annual inspection)	ly; the exhaust is inspected	Every 10	0,000 kilor	neters or	6 months						
★ Change the brake fluid		Once ev	ery 40,00	0 kilomete	ers or 24 n	nonths					
Inspect the parking brake and the brake pedal (inspect the function and free travel of the pedal and parking brake, the wear pattern and fastening condition of the parking brake cable, and thickness and wear pattern of parking brake lining; readjust the clearance; replace them if necessary)			5,000 kilor	neters or	3 months,	and later	every 5,00	00 kilomet	ers or 6 m	onths	
Inspect the brake disc and brake lining (inspect their thickness and wear pattern, and replace them when necessary)			First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months								
Inspect the wheel fixing bolt (inspect and tighten the bolt in accordance with the specified torque)			First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months								
Inspect the wear pattern of the tire/ hub (including the rotation and correct the tire pressure when necessary	ne spare tire), carry out tire	First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months									
Inspect the chassis bolt (inspect and tighten the bolt in a torque)	accordance with the specified	•	•	•	•	•	•	•	•	•	•
Inspect the brake system (inspect the brake fluid pipes brake fluid level and add the brake fluid when necessary		First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months									
Inspect the steering tie rod (inspect the clearance and w	hether the connection is firm)	•	•	•	•	•	•	•	•	•	•
Inspect the underbody (inspect the fuel pipe, brake protective layer for damage, and the exhaust pipe for lea		First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months									
Inspect the suspension ball joint and dust cover (the ball joint shall be not loose and the dust cover shall be free from oil leakage)			•	•	•	•	•	•	•	•	•





Perform the maintenance according to the specified	Kilometer x 1000	20	40	60	80	100	120	140	160	180	200
mileage or time interval (whichever comes first)	Months	12	24	36	48	60	72	84	96	108	120
Inspect the suspension assembly (inspect that the b breakage, the connecting bolt and nut are tightened to s free from deformation and crack.)		•	•	•	•	•	•	•	•	•	•
Inspect the wiper/washer (add the washer fluid a wiper/cleaner, adjust the nozzle when necessary)	and check the function of	First at	5,000 kilor	neters or	3 months,	and later	every 5,0	00 kilomet	ers or 6 m	nonths	
Clean the drain hole of the front windshield drip channel		Every 1	0,000 kilor	neters or	6 months						
Inspect the door check, dowel pin, door lock, engine hood/ trunk lid hinge and latch (inspect their functions and lubricate them)			Every 10,000 kilometers or 6 months								
Inspect the interior and exterior lights and electrical consumers of vehicle body			First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months								
Self-diagnosis (check the fault message with the professional diagnostic equipment)			Every 10,000 kilometers or 6 months								
Inspect the battery (inspect the battery condition with whether the connection between the positive and negati	First at 5,000 kilometers or 3 months, and later every 5,000 kilometers or 6 months										
Inspect the headlamp (inspect the lamplight and adjust it when necessary)			Every 10,000 kilometers or 6 months								
Inspect the A/C filter element		Every 10,000 kilometers or 6 months									
Replace the A/C filter element		•	•	•	•	•	•	•	•	•	•
Test run (performance inspection)			ne mainte	nance is d	lone						
Inspect the following items visually											
The dust cover of transmission drive shaft (for leakage or damage)			5,000 kilor	neters or	3 months,	and later	every 5,0	00 kilomet	ers or 6 m	nonths	

^{★:} The amount (of engine oil, coolant and brake fluid) shall be inspected properly before driving.

^{*1:} If there is impurity in the gasoline used, please replace the spark plug frequently. If the engine idle speed is instable, please replace the spark plug immediately.

^{*2:} If there is impurity in the gasoline used, please replace the fuel filter frequently. If it is found that the fuel filter is blocked by impurities, replace the fuel filter immediately.




4.3 Supplementary maintenance under harsh driving conditions

The maintenance cycle is established based on the normal driving conditions, therefore if the vehicle is used under one or more severe driving conditions, the maintenance frequency for certain maintenance items should be increased or the maintenance cycle should be shortened.

The harsh conditions include the followings:

- 1. The vehicle often runs for a short trip (not more than 8 km).
- 2. The engine is kept running at an idle speed constantly and the vehicle runs intermittently (for example: the vehicle is used as a taxi).
- 3. The vehicle runs in a muddy, dusty area or environment.
- 4. The vehicle is used to tow the trailer frequently or to load the luggage on the roof luggage rack during running, or the vehicle runs on a mountain road.
- 5. The vehicle runs for a long time in extreme cold (below 0° C) or hot (above 35° C) climates.
- 6. The vehicle runs for more than 20,000 kilometers every year or runs at a high speed frequently.
- 7. The vehicle runs for a long distance at a low speed.





Item	Harsh conditions	Maintenance requirements
Change the engine oil	1, 2, 3, 5, 7	2,500 km or 3 months
Change the engine coolant	3, 5, 6	40,000 km
Inspect the wheel fixing bolt	1, 2, 3, 4, 5, 6	5,000 km or 3 months
Inspect the chassis bolt (inspect and tighten the bolt in accordance with the specified torque)	1, 2, 3, 4, 5, 6	10,000 km or 6 months
Inspect the steering tie rod (inspect the clearance and whether the connection is firm)	1, 2, 3, 4, 5, 6	10,000 km or 6 months
Inspect the suspension ball joint and dust cover (the ball joint shall be not loose and the dust cover shall be free from oil leakage)	1, 2, 3, 4, 5, 6	10,000 km or 6 months
Inspect the suspension assembly (inspect that the bush is free from aging and breakage, the connecting bolt and nut are tightened to specified torque and the rod is free from deformation and crack.)	1, 2, 3, 4, 5, 6	10,000 km or 6 months
Inspect the A/C filter element	3, 5	10,000 km

Note:

The maintenance frequency of air filter and V-ribbed belt shall be increased when the vehicle is used under harsh conditions. 0W-30 oil (when 5W-30 oil is used originally) or 0W-40 oil (when 5W-40 oil is used originally) is recommended in cold climates.



4.4 Regular maintenance record

5,000 km or 3 months	10,000 km or 9 months	15,000 km or 15 months	20,000 km or 21 months
Mileage:	Mileage:	Mileage:	Mileage:
Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY
Authorized shop:	Authorized shop:	Authorized shop:	Authorized shop:
(Stamp)	(Stamp)	(Stamp)	(Stamp)
25,000 km or 27 months	30,000 km or 33 months	35,000 km or 39 months	40,000 km or 45 months
Mileage:	Mileage:	Mileage:	Mileage:
Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY
Authorized shop:	Authorized shop:	Authorized shop:	Authorized shop:
(Stamp)	(Stamp)	(Stamp)	(Stamp)
45,000 km or 51 months	50,000 km or 57 months	55,000 km or 63 months	60,000 km or 69 months
Mileage:	Mileage:	Mileage:	Mileage:
Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY
Authorized shop:	Authorized shop:	Authorized shop:	Authorized shop:
(Stamp)	(Stamp)	(Stamp)	(Stamp)

4. Maintenance Instructions



65,000 km or 75 months	70,000 km or 81 months	75,000 km or 87 months	80,000 km or 93 months
Mileage:	Mileage:	Mileage:	Mileage:
Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY
Authorized shop:	Authorized shop:	Authorized shop:	Authorized shop:
(Stamp)	(Stamp)	(Stamp)	(Stamp)
85,000 km or 99 months	90,000 km or 105 months	95,000 km or 111 months	100,000 km or 117 months
Mileage:	Mileage:	Mileage:	Mileage:
Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY
Authorized shop:	Authorized shop:	Authorized shop:	Authorized shop:
(Stamp)	(Stamp)	(Stamp)	(Stamp)
105,000 kilometers	110,000 kilometers	115,000 kilometers	120,000 kilometers
Mileage:	Mileage:	Mileage:	Mileage:
Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY
Authorized shop:	Authorized shop:	Authorized shop:	Authorized shop:
(Stamp)	(Stamp)	(Stamp)	(Stamp)



125,000 kilometers	130,000 kilometers	135,000 kilometers	140,000 kilometers
Mileage:	Mileage:	Mileage:	Mileage:
Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY
Authorized shop:	Authorized shop:	Authorized shop:	Authorized shop:
(Stamp)	(Stamp)	(Stamp)	(Stamp)
145,000 kilometers	150,000 kilometers	155,000 kilometers	160,000 kilometers
Mileage:	Mileage:	Mileage:	Mileage:
Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY
Authorized shop:	Authorized shop:	Authorized shop:	Authorized shop:
(Stamp)	(Stamp)	(Stamp)	(Stamp)
165,000 kilometers	170,000 kilometers	175,000 kilometers	180,000 kilometers
Mileage:	Mileage:	Mileage:	Mileage:
Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY	Date: DD/MM/YYYY
Authorized shop:	Authorized shop:	Authorized shop:	Authorized shop:
(Stamp)	(Stamp)	(Stamp)	(Stamp)
I I			1



The GAC Motor sets a special window to accept your feedback. Therefore, if you find any defects in your GAC Motor vehicle, please fill in the attached form and report it to the related competent department of GAC Motor.

GAC Motor acceptance window:

Tel: 400 - 158 - 9999

Fax: 020 - 3920 - 6800

GAC service E-mail: gacservice@gacmotor.com

Add: No. 633, East Road of Jinshan Avenue, Panyu District, Guangzhou City, China

GAC Motor Co., Ltd.



5. Defect Report**5. Defect Report**

Owner's Report on Automobile Product Defects (valid if copied)

A. Owner profile

Name		
(Enterprise name)		
ID number	Contact person*	
Address		
Postcode	E-mail	
Tel	Fax	

^{*:} If the owner is a natural person, fill in the ID number or passport number in the ID number column; if the owner is an enterprise or public institution, fill in the entity code or legal person code of the enterprise and public institution.



B. Vehicle Information

Brand		
Туре		
Design	Model	
Engine number	Frame number	
VIN		
Vehicle category	Body type*	
Production date	Purchase date	
Mileage*	Is the vehicle a A. Yes B. No second-hand one	
Engine displacement	Number of cylinders	
Drive mode*	Whether ABS is installed A. Yes B. No	
Seat belt type*	Airbag type*	

^{*:} the items* can be left blank.

Body type refers to: coupe, sedan, station wagon, truck and van.

Drive mode refers to: front-wheel drive, rear-wheel drive and four-wheel drive



5. Defect ReportC. Information on authorized shop

Enterprise name		
Address		
Postcode	E-mail	
Tel	Fax	

D. Defect description

Defective system (such as brake system and steering system) and related descriptions:

E. Status when the defect is found

Time:

Vehicle mileage:

Vehicle speed:

Others:

	D ()	
2	Defect	RANAR



F.	Whether the manufacturer or the competent department responsible for the management of vehicle recall in China is involved:
A. `	Yes B. No
G.	Description of traffic accident
Wh	nether collision and fire occur:
Wh	ich airbag deploys:
Fat	alities:
	imated direct economic loss:
Oth	ners:
Н.	Description of tire problem (if any)
	Vehicle owner (stamp)
	DD/MM/YYYY



6. Ownership Change

Ownership Change Record				
User Profile	Vehicle Information			
Owner name:	Vehicle model:			
Owner's attribute: Male/female/unit Profession:	Frame number:			
Area: District, city (county) and province	Engine number:			
Address:	Transmission number:			
Postcode:	Body color:			
Telephone number:	Interior trim color:			
Contact person:	Key number:			
Address:	When the original registration content in the warranty certificate changes, the GAC Motor authorized shop must fill in the change record and report it to the GAC Motor.			
Postcode:				
Contact number:				
Date of change: DD/MM/YYYY				
□Owner change □Address change □Reissue	-			
	Name of authorized shop (stamp):			
Signature of owner:	Person in charge (signature):			
DD/MM/YYYY	DD/MM/YYYY			